



CUADRO "3"
GUARDAGANADO TIPO "B"

H	λ_1	λ_2	d	f	g	i	j
1.00	1.13	1.27	0.30	0.20	0.30	0.25	0.10
1.25	1.36	1.58	0.43	0.20	0.42	0.30	0.12
1.50	1.87	2.09	0.43	0.20	0.42	0.30	0.12
1.75	2.10	2.32	0.56	0.25	0.49	0.35	0.14
2.00	2.55	2.77	0.69	0.30	0.54	0.40	0.18

CUADRO "2"
GUARDAGANADO TIPO "A"

H	λ	a	b
1.00	0.90	0.25	0.40
1.25	1.20	0.30	0.60
1.50	1.57	0.30	0.60
1.75	2.02	0.35	0.65
2.00	2.40	0.40	0.70

CUADRO "1"
GUARDAGANADO TIPO "A" y "B"

ANCHO DE CALZADA	N° DE VIGAS	SEPARACION ENTRE VIG. S
4.00 m.	8	0.437 m.
5.00 m.	10	0.411 m.
6.00 m.	12	0.394 m.
7.00 m.	13	0.430 m.
8.00 m.	15	0.414 m.
9.00 m.	16	0.441 m.
10.00 m.	18	0.427 m.
11.00 m.	22	0.407 m.
12.70 m.	23	0.412 m.
13.30 m.	24	0.412 m.

